

## Perimeter Defense System with Microwave Radar Early Warning and Vibration Intrusion Detection for Secure Fenced Areas

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: MYT
- Certification: CNAS、CMA、CAL、ILAC-MRA
- Model Number: DP200
- Minimum Order Quantity: 1
- Price: Pricing is negotiable based on order quantity
- Delivery Time: 10 work days
- Payment Terms: TT,LC
- Supply Ability: 1000units per month



### Product Specification

- Highlight: perimeter defense system microwave radar, early warning fence vibration detection system, fence perimeter defense system



### More Images



for more products please visit us on [chinaantidrone.com](http://chinaantidrone.com)

## Product Description

### Perimeter Defense System DP200

Advanced microwave radar early warning fence vibration detection system for comprehensive perimeter security and intrusion prevention.

### Product Overview

The Intelligent Perimeter Defense System DP200 provides closed management and protection for fenced areas. It delivers immediate alarms and warnings for climbing attempts, fence damage, and perimeter intrusions, enabling timely response and prevention to ensure complete perimeter security.



### System Components

#### DP200T Vibration Intrusion Detector

Primary detection unit for monitoring fence vibrations and intrusions.




**DP200Z Vibration Intrusion Detection Master Unit**


Central control unit for processing detection data and system management.



## System Technology

The perimeter intrusion prevention system employs advanced technical measures for comprehensive management and security of protected perimeter areas.





## Management Platform



## Technical Specifications

### DP200T Vibration Intrusion Detector

Specification	Value
Installation Method	Fence Wall Mount ●
Data Communication	RS-485 ●
Operating Temperature	-55 to +85 ●
Operating Voltage	12V DC ●
Operating Current	20mA ●

### DP200Z Vibration Intrusion Detection Master Unit

Specification	Value
Installation Method	Fence Wall Mount ●
Data Communication	RS-485 ●
Operating Temperature	-55 to +85 ●

Operating Voltage	12VDC ●
Operating Current	24VDC ●

### After-Sales Service

Lifetime free model library upgrades  
Professional 24/7 online technical support  
Customizable colors and languages available



**Chongqing Miao Yi Tang Technology Co., Ltd.**



+8613101235550



gary@chinaantidrone.com



chinaantidrone.com

[www.chinaantidrone.com](http://www.chinaantidrone.com)