

Man Portable Anti Drone Jammer Handheld Drone Jammer Equipment 400MHz-1.5GHz DR3003

Our Product Introduction


Basic Information

- Place of Origin: China
- Brand Name: MYT
- Certification: CNAS, CMA, CAL, ILAC-MRA
- Model Number: DR300-3
- Minimum Order Quantity: 1
- Price: Pricing is negotiable based on order quantity
- Packaging Details: 75cm*41cm*22cm 13.53kg
- Delivery Time: 10 work days
- Payment Terms: TT, LC
- Supply Ability: 1000units per month



Product Specification

- Battery Capacity: 24V 6.5A/H
- Lateral Accuracy: 3
- Counter Distance: ≥2km
- Operating Temperature: -10 ~+50
- Operation Duration: 7 Days A Week, 24 Hours A Day
- Jamming Targets: Drones, Remote Control Signals, GPS Signals
- Highlight: man portable anti drone jammer, portable anti drone jammer handheld, man handheld drone jammer



More Images



Product Description

Directional Drone Jammer Man portable defense system Hand held drone jamming equipment DR3003

1, Product Introduction

The DR300-3 is a single-soldier device with the longest strike distance, which forces low-altitude, slow-moving, and small drones to land or be repelled by interfering with their flight control, image transmission, and navigation signals.





2, Specification


DR300-3 Specification (● yes, ○ no)			
Color	Black	●	
Detection bands	400-1500MHz,2200-2500MHz,5100-5900MHz	○	

Detection range	≥2km(depending on conditions)	<input type="radio"/>	
Detection response time	<2s	<input type="radio"/>	
Countermeasure bands	800 MHz,900MHz,1.2GHz,1.5GHz,2.4GHz,5.2GHz,5.8GHz	<input checked="" type="radio"/>	
Expandable bands	433MHz,700MHz,1.4 GHzetc.	<input checked="" type="radio"/>	
Countermeasure range	≥2km (depending on conditions)	<input checked="" type="radio"/>	
Standby time	≥24h	<input checked="" type="radio"/>	
Operating temperature	-40 -+60	<input type="radio"/>	-10 -+50
Networking methods	SIM card, eSIM	<input checked="" type="radio"/>	
Alarm methods	Sound and indicator light	<input checked="" type="radio"/>	
Battery	Built-in low-temperature resistant battery, standard with 2 units	<input checked="" type="radio"/>	
Weight	<7kg(including battery)	<input checked="" type="radio"/>	
Dimensions	770mm80mm284mm(LWH)	<input checked="" type="radio"/>	
Material of casing	CNC machining an aluminum alloy material casing	<input type="radio"/>	Engineering Plastic
Display	LCD screen for viewing device status	<input type="radio"/>	

4, Certification Certificate



5, Company profile



6, Partnership Portfolio

Applicable for public security, military, and various individual duty scenarios.



7. Paking and Delivery

Supports various logistics methods including shipping, air freight, water transport, and express delivery, covering logistics in 90% of the global regions.



Chongqing Miao Yi Tang Technology Co., Ltd.

+8613101235550

gary@chinaantidrone.com

chinaantidrone.com

www.chinaantidrone.com