

Anti Drone Portable System For Team Radar Early Warning Soulution

Our Product Introduction

for more products please visit us on chinaantidrone.com

Basic Information

- Place of Origin: China
- Brand Name: MYT
- Model Number: DR400B
- Minimum Order Quantity: 1 units
- Delivery Time: 15 work days
- Payment Terms: T/T
- Supply Ability: 5000units per month



Product Specification

- Highlight: smart perimeter defense system, perimeter defense system early warning, smart perimeter defense security



More Images



Product Description

Smart Perimeter Defense System-Microwave Radar Early Warning Vibration Intrusion Detection System DP200-1

1, Product Introduction

The system integrates microwave radar detection and MEMS vibration detection intrusion technologies within a single detector node. Through the microwave sensing function of the microwave radar vibration fusion detector, it provides a pre-alarm for intrusion activities. When actions such as climbing, crossing, or damaging occur, the system can trigger an alarm and accurately locate the site of the incident, with a positioning accuracy of 0-6 meters.



2, System Composition

DP200T-1

Microwave Radar Early Warning Vibration Intrusion Detector





DP200Z-1
Microwave Radar Vibration Intrusion Detection Master Unit



3, System Introduction

Perimeter intrusion prevention system is a technical measure to control the undisclosed management and secure perimeter area.





4, Management Platform



5, Specification

DP200T-1

Microwave Radar Early Warning Vibration Intrusion Detector

DP200T-1 Specification (● yes, ○ no)		
Detection Method	Dual Fusion Detection of Microwave Radar Early Warning and MEMS Vibration Detection	●
Maximum Detection Range of Microwave Radar	10m	●
Microwave Radar Frequency	24GHz±10MHz	●
Microwave Radar Range Measurement Accuracy	10cm	●
Effective Distance of Vibration Detection	0-6m	●
Relative Humidity	≤95%	●
Protection Level	IP68	●

DP200Z-1

Microwave Radar Vibration Intrusion Detection Master Unit

DP200Z-1 Specification (● yes, ○ no)		
Installation Method	Fence Wall Mount	●
Data Communication	RS-485	●

Operating Temperature	-55 to +85	•
Operating Voltage	24VDC	•

6, After-Sales service

Lifetime free model library upgrades, profesional 24/7online service, customizable colors and languages.



Chongqing Miao Yi Tang Technology Co., Ltd.



+8613101235550



gary@chinaantidrone.com



chinaantidrone.com

www.chinaantidrone.com