

Long Distance Fence Security Sensors High Positioning Accuracy Strong Adaptability Easy To Install And Calibrate

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: MYT
- Model Number: DP2003
- Minimum Order Quantity: 1 units
- Delivery Time: 10 work days
- Payment Terms: L/C, T/T
- Supply Ability: 500units per month



Product Specification

- Highlight: Long Distance Fence Security Sensor, Accuracy Fence Security Sensor, fence vibration sensor

Product Description

Long warning distance High positioning accuracy Strong adaptability Easy to install and calibrate Microwave Radar DP2003

1, Product Introduction

The detector is installed on the fence using a wall-mount method, with detectors connected to each other via an RS-485 bus and converging to the detection processing host. The system integrates microwave radar and MEMS vibration intrusion detection technologies, combining both active and passive detection methods, and is suitable for industries such as civil aviation, logistics, petroleum, electric power, tobacco, public security, and judicial authorities.



2, Functional highlight

- Long warning distance
- High positioning accuracy
- Strong adaptability
- Easy to install and calibrate

3, System Composition

DP200T-1

Microwave Radar Early Warning Vibration Intrusion Detector





DP200Z-1
Microwave Radar Vibration Intrusion Detection Master Unit



4, System Introduction

Perimeter intrusion prevention system is a technical measure to control the undisclosed management and secure perimeter area.





5, Management Platform



6, Specification

DP200T-1

Microwave Radar Early Warning Vibration Intrusion Detector

DP200T-1 Specification (● yes, ○ no)		
Detection Method	Dual Fusion Detection of Microwave Radar Early Warning and MEMS Vibration Detection	●
Maximum Detection Range of Microwave Radar	10m	●
Microwave Radar Frequency	24GHz±10MHz	●
Microwave Radar Range Measurement Accuracy	10cm	●
Effective Distance of Vibration Detection	0-6m	●
Relative Humidity	≤95%	●
Protection Level	IP68	●

DP200Z-1

Microwave Radar Vibration Intrusion Detection Master Unit

DP200Z-1 Specification (● yes, ○ no)		
Installation Method	Fence Wall Mount	●
Data Communication	RS-485	●

Operating Temperature	-55 to +85	•
Operating Voltage	24VDC	•

7, After-Sales service

Lifetime free model library upgrades, profesional 24/7online service, customizable colors and languages.



Chongqing Miao Yi Tang Technology Co., Ltd.



+8613101235550



gary@chinaantidrone.com



chinaantidrone.com

www.chinaantidrone.com