

Handheld Anti Drone Gun with $\leq 7\text{kg}$ Weight, $\leq 6\text{s}$ Response Time and 8 Frequency Bands for UAV Jamming

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: MYT
- Certification: CNAS, CMA, CAL, ILAC-MRA
- Model Number: DR300-1
- Minimum Order Quantity: 1
- Price: Pricing is negotiable based on order quantity
- Packaging Details: 75cm*41cm*22cm 11KG
- Delivery Time: 10 work days
- Payment Terms: TT,LC
- Supply Ability: 1000units per month



Product Specification

- Highlight: handheld anti drone gun

Product Description

Handheld Unmanned Aerial Vehicle Reconnaissance and Strike Integrated Equipment

Advanced handheld system designed for comprehensive UAV detection and countermeasure operations, combining reconnaissance and strike capabilities in a portable form factor.

Technical Specifications

| | |
|-------------------------------|-----------------------------------|
| Place of Origin | Jiangxi, China |
| Brand Name | MYT |
| Weight | ≤7kg |
| Size | LWH (770mm × 80mm × 284mm) ±5mm |
| Overall Power Consumption | ≤25W (in detection mode) |
| Power Consumption | ≤320W (under countermeasure mode) |
| External Power Supply Voltage | 100~220V AC |
| Counteracting Response Time | ≤6s |
| Production Plan | OEM/ODM |

Product Images





DR300-I

All-round High-efficiency Detection and Countermeasure Integrated Gun

Humanized appearance design

Supports both fixed and handheld forms, easy to operate, and one-touch activation

● AI autonomous learning

Can be equipped with UAV signal acquisition modules for expanding the aircraft type library

● Reliable military-grade quality

Full-body aerospace aluminum shell, suitable for various environments(-40°C to +60°C)

Professional after-sales service

● Lifetime free upgrades to the aircraft type library, supports customization, 24/7 online service



Performance Indicators

| | |
|-------------------------|---|
| Detection bands | 400-1500MHz, 2200-2500MHz, 5100-5900MHz |
| Detection range | ≥2km(depending on conditions) |
| Detection response time | <2s |
| Countermeasure bands | 800 MHz, 900MHz, 1.2GHz, 1.5GHz, 2.4GHz, 5.2GHz, 5.8GHz |
| Expandable bands | 433MHz, 700MHz, 1.4 GHz etc. |
| Countermeasure range | ≥2km (depending on conditions) |
| Standby time | ≥24h |
| Operating temperature | -40°C~+60°C |
| Networking methods | SIM card, eSIM |
| Alarm methods | Sound and indicator light |
| Battery | Built-in low-temperature resistant battery, standard with 2 units |
| Weight | ≤7kg(including battery) |
| Dimensions | 770mm*80mm*284mm (LWH) |
| Display | LCD screen for viewing device status |



Chongqing Miao Yi Tang Technology Co., Ltd.



+8613101235550



gary@chinaantidrone.com



chinaantidrone.com

www.chinaantidrone.com