

2km Anti Drone Gun 5 - 6 Frequency 900M 1.2G 1.5G 2.4G 5.8G 5.2G UAV Detector

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: MYT
- Certification: CNAS、CMA、CAL、ILAC-MRA
- Model Number: DR300(5 6 8 Bands)
- Minimum Order Quantity: 1
- Price: Negotiable on Quantity
- Packaging Details: 75cm*41cm*22cm 11KG
- Delivery Time: 10 work days
- Payment Terms: L/C, T/T
- Supply Ability: 1000units per month



Product Specification

- Frequency: 5 Band: 1.5G, 2.4G, 5.8G, 900M, 1.2G 6 Band: 900M, 1.2G, 1.4G, 1.5G, 2.4G, 5.8GHz 8 Band: 433M 800M, 900M, 1.2G, 1.5G, 2.4G, 5.8G, 5.2GHz
- Size: 688×85×208mm
- Weight: ≤5kg
- Anti Drone Range: ≥2km
- Highlight: **2km Anti Drone Gun,
5 - 6 Frequency Anti Drone Gun,
5 - 6 Frequency UAV Detector**



for more products please visit us on chinaantidrone.com

Product Description

5-6 Frequency 900M 1.2G 1.5G 2.4G 5.8G 5.2G Drone gun UAV Detector

1, Specification

Band	5, 6, 8 bands; or customization based on customer's demand
Output Power	100W~120W
Frequency	5 band: 1.5G, 2.4G, 5.8G, 900M, 1.2G 6 band: 900M, 1.2G, 1.4G, 1.5G, 2.4G, 5.8GHz 8 band: 433M 800M, 900M, 1.2G, 1.5G, 2.4G, 5.8G, 5.2GHz
Battery capacity	90-120 mins (without backup battery) 1. 29.4V 7000mAh Li-Polymer Battery 2. 29.4V 10.5AH Li-Po (backup battery)
Size (LWH)	688×85×208mm
Weight	4.3kg (5 band)
Working Temperature	-40°C to +60°C





DR300

(6 frequency bands)

Device for drone countermeasure

This device is a countermeasure device with the best long-range strike effect. It can achieve interference of remote control, image transmission and navigation signals of all kinds of small, low, and slow drones, forcing them to return or make an emergency landing.



1V1 customized services | Continuously strike over **100** drones
1+N collaborative linkage | **2km** long-distance strike | Strong environmental adaptability

| DEVICE FEATURES



Precision and



Strong



Customized

Efficient and
efficient strike

Strong
battery life

Customized
services



Military quality



Integrated design



Strong scalability



DEVICE PARAMETERS

Countermeasure frequency band	900MHz, 1.2GHz, 1.4GHz, 1.5GHz, 2.4GHz, 5.8GHz
Countermeasure distance	≥2km (depends on working conditions)
Battery life	≥24h
Working temperature	-40°C~+60°C
Battery	Two built-in low temperature resistant lithium batteries
Weight	≤5kg (including the battery)
Size	688mm*85mm*208mm (length*width*height)

2, Packing & Delivery

To better ensure the safety of your goods, professional, environmentally friendly, convenient and efficient packaging services will be provided.



CUSTOMER SERVICE

- * Fast and patient communication: professional sales reply immediately
- * Fast delivery: usually 2-7 days
- * Flexible Safe shipping: fast by air or sea with cheap freight
- * Customer-friendly: complete user manual and exact video training provided
- * After sales service: one year warranty and life time technical support







Chongqing Miao Yi Tang Technology Co., Ltd.

+8613101235550

gary@chinaantidrone.com

chinaantidrone.com

