

Team Anti Drone Detector Radio Frequency Data Transportation By Watch And Alarm

Basic Information

Place of Origin: China
Brand Name: MYT
Model Number: DR400-E

Minimum Order Quantity:

Price: Negotiable Delivery Time: 20 work days

• Payment Terms: T/

• Supply Ability: 10000 units per month



Product Specification

• Size: 142mm*63mm*38mm

• Detection Range: 3KM

• Identification Type: Most Stream Type Brand Drones And FPV

Drones

Detection Rsponse Time: ≤3S
 Weight: 183g
 Communication Distance: 1KM+
 Working Temperature: -20 ~50
 Frequency Band: 40MHz-6GHz

 Highlight: team anti drone detector, team anti drone detection,

team anti drone detection, alarm anti drone detector



More Images







Product Description

Team Anti Drone Detector Radio Frequency Data Transportation By Watch And Alarm

1, Product Introduction

The equipment is composed of a central detection unit and multiple data terminals. The DR400E data terminal, designed as an electronic tablet, has the capability to transmit data over a range exceeding one kilometer. This feature ensures efficient communication and data sharing over long distances. The device is equipped with a LoRa interface, which enables it to relay detected drone data to other devices through a LoRa module. This capability enhances the system's ability to coordinate with other anti-drone systems, creating a more integrated and effective defense network.

The Portable Drone Detection System integrates a detection master unit with a wristband information receiving terminal. It leverages advanced spectrum sensing technology to provide comprehensive capabilities in reconnaissance, display control, and team coordination. This makes it an invaluable tool for detecting, identifying, and triggering alarms for a wide range of drone types, including quadcopters, fixed-wing, DIY, and FPV models.

The system employs low-power ultra-wideband digital reception technology, which is complemented by sophisticated signal detection and drone identification algorithms. Coupled with an external high-efficiency ultra-wideband antenna, it can accurately identify drones even in complex electromagnetic environments. To ensure timely response, the system triggers auditory, visual, and vibration alerts, providing users with immediate and clear notifications of drone activity. This comprehensive approach enhances the effectiveness of drone detection and response, making it a reliable solution for various operational scenarios.







2, Key Features and Highlights:

Advanced Detection Capabilities:

Our system is capable of identifying a wide range of drones, including mainstream models from industry leaders such as DJI, Autel, and Hubsan, as well as FPV racing drones and DIY drones.

Broad Frequency Range:

With support for custom scanning from 70MHz to 6.2GHz, our system covers the most common frequency bands by default, including 400MHz, 800MHz, 900MHz, 1.2GHz, 1.4GHz, 2.4GHz, 5.2GHz, and 5.8GHz, with the option for further customization.

Extended Detection Radius:

The system boasts a detection radius of at least 1.5km in clear line-of-sight and clean electromagnetic environments.

Long-Range Communication:

The wristband information receiving terminal communicates effectively over distances of at least 500m in open and unobstructed settings.

Rapid Response Times:

Our system ensures a swift detection response time of less than 3 seconds for 8 frequency bands and less than 5 seconds for 12 frequency bands.

Detection Principles:

Utilizing both spectrum scanning and spectrum feature recognition, our system is at the forefront of drone detection technology.

Alarm Methods:

In the event of a detection, the system provides immediate alarms through sound, vibration, and light, ensuring prompt notification.

User Interface:

A 2.0-inch screen on the wristband terminal provides clear and accessible information.

Power Supply:

The system is powered by a removable lithium battery, ensuring flexibility and convenience.

Extended Battery Life:


The main unit offers a battery life of at least 6 hours, while the wristband terminal lasts for at least 12 hours.

Compact Design:

With dimensions of 142mm63mm38mm (LWH), the system is both portable and discreet.

Robust Operating Temperature Range:

Designed to operate in a wide range of temperatures from -20 to +50, our system is built for versatility and reliability.









3, Specification

Feature

Description

Capable of identifying mainstream drones such as DJI, Autel, Hubsan,

as well as FPV racers, DIY drones, etc.

Supports custom scanning from 70MHz to 6.2GHz (Default detection

Frequency Range frequency bands: 400MHz, 800MHz, 900MHz, 1.2GHz, 1.4GHz,

2.4GHz, 5.2GHz, 5.8GHz; other frequency bands can be customized)

Detection Radius ≥1.5km (line of sight, clean electromagnetic environment)

Wristband Communication Range ≥500m (open and unobstructed)

Detection Response Time ≤3s for 8 frequency bands; ≤5s for 12 frequency bands

Detection Principle Spectrum scanning and spectrum feature recognition

Alarm Methods Audible sound, vibration, and light

Screen Size 2.0 inches

Power Supply Powered by a removable lithium battery

Battery Life ≥6 hours for the main unit; ≥12 hours for the wristband

Device Dimensions 142mm63mm38mm (LWH)

Operating Temperature -20 to +50

Test Objective:

To verify if the equipment has a drone detection range of over 3KM.

Principle of the Device:The device detects the video transmission signals emitted by drones.

TIPS:The video transmission (VT) signal is emitted by the drone, and the drone controller serves as the receiving unit for the VT signal. To verify the authenticity of the video, it is necessary to place both the handheld detection device and the remote controller in the same video. The detected frequency range in the video is 5700MHz-5850MHz, which is a standard VT signal frequency band. Therefore, the drone controller does not emit signals.

4, After-Sales service

- 1. We offer 24 hours service after sales
- 2. If there are any usage or quality issues with the product, we provide online technical support to diagnose the cause of the problem.
- 3. Should you find the products unsatisfactory, kindly return it to us within a period of 3 months from the date of dispatch. Upon receipt and inspection, should the products be found to be free from any damage attributable to human factors, a full refund will be granted. Alternatively, we can engage in discussions to amend the product and subsequently reship the product to you.

 This PI is applicable to the DDP shipping agreement.

5, Buesiness Partner

Afreican Parks Counter-UAV Strategic Partnership






Procurement Officer/Po	Finance Manager/Controller
Chantal KABIBAHOU	Virgile HOUNGBEDJI
Hab	TH









6, Certification Certificate























7, Company profile

Chongqing Miao Yitang Technology Co., Ltd. is a specialized company engaged in anti-drone and unmanned intelligent defense management. With the technical support from the AI Internet of Things Research Institute of the Chinese Academy of Sciences and collaborations with multiple intelligent AI companies, the company has established research laboratories for AI unmanned field products, accumulating a variety of technical patents.

The company's products are widely applied to unmanned automatic management solutions for various defense and perimeter areas, including AI anti-drone systems and AI unmanned vehicle patrol systems. These systems integrate with multiple technologies such as optoelectronics, radar, vibration, thermal imaging, facial recognition, and radio frequency management, truly achieving a 24-hour uninterrupted anti-drone defense and ground perimeter defense warning system. This allows for cost savings for clients, reduction in human resource allocation, and ensures the safety of clients' lives and property. The outstanding security system has won the company an excellent reputation and created higher value for its partners.







6, Paking and Delivery



CUSTOMER SERVICE

- * Fast and patient communication: professional sales reply immediately
- * Fast delivery: usually 2-7 days
- * Flexible Safe shipping: fast by air or sea with cheap freight
- * Customer-friendly: complete user manual and exact video training provided
- * After sales service: one year warranty and life time technical support







Chongqing Miao Yi Tang Technology Co., Ltd.









