

## Portable Long Range 3KM Anti Drone Detector

Our Product Introduction

for more products please visit us on [chinaantidrone.com](http://chinaantidrone.com)

### Basic Information

- Place of Origin: China
- Brand Name: MYT
- Model Number: DR400-A
- Minimum Order Quantity: 1
- Price: Negotiable
- Delivery Time: 5 work days
- Payment Terms: T/T
- Supply Ability: 10000 units per month




### Product Specification

- Detection Range: 3KM
- Size: 63\*42.7\*103mm
- Charging Interface: TYPE-C
- Power Supply: Removable Li Battery
- Weight: 183g
- Calling Method: Supports One To One, One To Team
- Type: Signal Detector
- Frequency Band: 400MHz-6GHz
- Highlight: High Power Phone Signal Jammer, 12 Channel Cell Phone Jammer, Mobile Wifi Cell Phone Signal Jammer



### More Images



## Product Description

### Portable Long Range 3KM Anti Drone Detector

#### 1, Product Introduction

The equipment has two scanning modes: full-band scanning and key-band scanning. It possesses the most comprehensive database of drone models and their usage frequencies, enabling accurate identification of drone models.

The Portable Drone Detection System, comprising a detection master device and a wristband information receiving terminal, integrates spectrum sensing technology and offers capabilities in reconnaissance, display control, and team coordination. It is an effective device for detecting, identifying, and signaling alarms for various types of drones.

The product utilizes low-power ultra-wideband digital receiving technology, signal detection algorithms, and drone identification algorithms, coupled with an external high-efficiency ultra-wideband antenna. It can accurately identify drones such as quadcopters, fixed-wing, DIY, and FPV in complex electromagnetic environments and triggers auditory, visual, and vibration alarms.



**70MHz-6.2GHz**  
**Full-frequency-band**  
**Customized Scanning**  
**and Detection**

8-12 Key Detection Frequency Bands  
Not Actively Sending Electromagnetic Signals





## Super Early Warning on FPV Drones

Unique baseband signal analysis and identification technology quickly give warning information of various types of quad-rotor, fixed-wing, DIY, FPV and other drones.





# Extremely Low False Alarm

Spectrum signal detection significantly reduces the false alarm rate and ensures an extremely low false alarm rate even in complex electromagnetic environments.

## 3 Alarm Modes:

Sound

Vibration

Light



## DR400-A



Portable Drone  
Detection Device



Dual-mode Detection | Full-frequency-band Detection  
Super Early Warning on FPV Drones | Low False Alarm


## Dual-mode Detection Covering All Drone Models

Switch between two detection modes,  
accurately identify mainstream commercial drones  
and PFV, DIY drones, etc.



## Product Details





# Product Parameters

<b>Identified Drone Types</b>	Mainstream drones and most FPV, DIY drones, etc.
<b>Detection Frequency Bands</b>	Supports customized scanning of 70MHz-6.2GHz (400MHz,800MHz,900MHz,1.2GHz,1.4GHz,2.4GHz, 5.2GHz,5.8GHz.supports customization)
<b>Detection Radius</b>	≥1.5km (Good views and electromagnetic environment)
<b>Detection Response Time</b>	≤3s (8 frequency bands);≤5s (12 frequency bands)
<b>Detection Principle</b>	Spectrum feature identification, Spectrum power identification
<b>Alarm Mode</b>	Sound, vibration, light
<b>Power</b>	Removable Lithium Battery
<b>Battery Life</b>	≥6h
<b>Screen Size</b>	3.5 inches
<b>Device Size</b>	199mm*75mm*40mm (Antenna not included)
<b>Working Temperature</b>	-20°C~+50°C
<b>Supported Languages</b>	Chinese,English, Russian (Supports multi-language customization)

\*Product pictures are for reference only, please refer to the actual product.

Test Objective: To verify if the equipment has a drone detection range of over 3KM.Principle of the Device:The device detects the video transmission signals emitted by drones.

**TIPS: The video transmission (VT) signal is emitted by the drone, and the drone controller serves as the receiving unit for the VT signal. To verify the authenticity of the video, it is necessary to place both the handheld detection device and the remote controller in the same video. The detected frequency range in the video is 5700MHz-5800MHz, which is a standard VT signal frequency band. Therefore, the drone controller does not emit signals.**

## 2, Feature

Dual-mode detection:Switching between spectrum power detection mode and spectrum characteristic matching detection mode

\* Wide range of detection models:Accurately identify drones of mainstream brands such as DJI, Autel, and Hubsan, and most FPV and DIY drones, etc.

\* Wide coverage of detection frequency bands:Full coverage of mainstream frequency bands 70MHz-6.2GHz, 8-12 key detection frequency bands;

\* Super FPV early warning:Unique baseband signal analysis and identification technology, rapid early warning for all types of DIY and FPV drones;

\* Low false alarm rate:Spectrum signal detection can reduce the false alarm rate and achieve extremely low false alarm rate in complex electromagnetic environments;





### 3, Specification

Idengtification Type	Most mainstream brand drones and FPV drones
Detection Frequency	Supports 400MHz-6GHz customized scanning,by default 400MHz,800MHz,900MHz,1.2GHz,1.4GHz,2.4GHz,5.2GHz,5.8GHz
Detection Range	≥2KM
Detection Response Time	≤3S
Detection Principle	Spectrum feature identification
Alarm method	Audio,vibration,light
Intercom Distance	3KM(open and unobstructed)
Battery life	Main device≥8 hours,auxiliary device≥12 hours
Working temperature	-20 ~+50
Display Show Content	
Shows that the device is in detection status	Detection signal type
The icon is displayed when the red light alarm function is turned on, and the icon is not displayed when turned off.	Detection signal frequency

The icon is displayed when the frequency sweep function is turned on, and the icon is not displayed when turned off.

The icon is displayed when the vibration alarm function is turned on, and the icon is not displayed when turned off.

Battery power display

Detection signal strength

The icon is displayed when the sound alarm function is turned on, and the icon is not displayed when turned off.

Indicates the number of targets detected by the device



**4, After-Sales service**

- 1. We offer 24 hours service after sales
- 2. If there are any usage or quality issues with the product, we provide online technical support to diagnose the cause of the problem.
- 3. Should you find the products unsatisfactory, kindly return it to us within a period of 3 months from the date of dispatch. Upon receipt and inspection, should the products be found to be free from any damage attributable to human factors, a full refund will be granted. Alternatively, we can engage in discussions to amend the product and subsequently reshipe the product to you.


**5,Buesiness Partner**


**Afreican Parks** Counter-UAV Strategic Partnership







Park Manager or Delegated Manager	Procurement Officer/Po	Finance Manager/Controller
Habteyesus Mathewos TADESSE	Chantal KABIBAHOU	Virgile HOUNGBEDJI
		
Suspicious behavior? Send an anonymous message to: 05 50 888 1111 afri@parks.com		









## 6, Certification Certificate



## 7, Company profile

Chongqing Miao Yitang Technology Co., Ltd. is a specialized company engaged in anti-drone and unmanned intelligent defense management. With the technical support from the AI Internet of Things Research Institute of the Chinese Academy of Sciences and collaborations with multiple intelligent AI companies, the company has established research laboratories for AI unmanned field products, accumulating a variety of technical patents.

The company's products are widely applied to unmanned automatic management solutions for various defense and perimeter areas, including AI anti-drone systems and AI unmanned vehicle patrol systems. These systems integrate with multiple technologies such as optoelectronics, radar, vibration, thermal imaging, facial recognition, and radio frequency management, truly achieving a 24-hour uninterrupted anti-drone defense and ground perimeter defense warning system. This allows for cost savings for clients, reduction in human resource allocation, and ensures the safety of clients' lives and property. The outstanding security system has won the company an excellent reputation and created higher value for its partners.





## 8, Paking and Delivery



### CUSTOMER SERVICE

- \* Fast and patient communication: professional sales reply immediately
- \* Fast delivery: usually 2-7 days
- \* Flexible Safe shipping: fast by air or sea with cheap freight
- \* Customer-friendly: complete user manual and exact video training provided
- \* After sales service: one year warranty and life time technical support








**Chongqing Miao Yi Tang Technology Co., Ltd.**

+8613101235550

gary@chinaantidrone.com

chinaantidrone.com

www.chinaantidrone.com

