Anti UAV Radar with C Band Technology for Accurate Target Detection and **Prompt Response to Abnormal Situations**

Basic Information

- Place of Origin:
- Brand Name:
- 1500C Model Number:
- Minimum Order Quantity:
- Price: Negotiable on Quantity 30 work days

China

MYT

1

- Delivery Time:
- Payment Terms: T/T
- Supply Ability: 1000units per month




Product Specification

- Effective Detection Range: 100m 1.2km
- Band:
- Detection Speed:
- Pitch Accuracy:
- Distance Accuracy:
- Weight:
- Highlight:




С

Accurate Target Detection Anti UAV Radar, C Band Anti UAV Radar, Abnormal Situations Anti UAV Radar



Our Product Introduction

More Images



Anti UAV Radar with C Band Technology for Accurate Target Detection and Prompt Response to Abnormal Situations

1, Product overview

The 1500C radar mainly consists of one radar array and one power adapter. It uses MIMO and DBF technology to effectively remove false alarm clutter. The product can accurately provide target trajectory information.



2, Functional highlight

1) Real time monitoring:

Monitor the surrounding environment, promptly detect and respond to abnormal situations

2) Strong fast target monitoring capability:

High data refresh rate, able to continuously and stably track targets for fast moving targets 3) Wide coverage:

It can cover large areas, and multiple radars can also be connected in series to further expand the monitoring range, achieving seamless supervision of border defense areas and nearshore and inland river areas 4) Easy to install:

Can be completed using lamp poles or original infrastructure

5) Strong adaptability to the environment:

Possessing the ability to work 24/7 and adapt to harsh environments such as night, rain, snow, haze, and dust


3, Products parameter:

Working system	Phased array system (azimuth scanning+elevation scanning)/pulse	
0,1	Doppler	
Working band	C Band	
Range of Radar	1.5km	
Effective detection range	100m 1.2km(Ships)	
Azimuth coverage	≥90°	
Elevation coverage	≥18°	
Detection speed	0.5m/s 30m/s	
Pitch accuracy	≤1.0°	
Distance accuracy	≤8m	
Data rate	≥2Hz	
Data interface	RJ45/1 1CH Ethernet 10/100M port	
Input power	≤45W(power dissipation) AC200-AC240(input)	





4, Product dimension:





5, After-Sales service1) We offer 24 hours service after sales

2) If there are any usage or quality issues with the product, we provide online technical support to diagnose the cause of the problem.
3) Should you find the products unsatisfactory, kindly return it to us within a period of 3 months from the date of dispatch. Upon receipt and inspection, should the products be found to be free from any damage attributable to human factors, a full refund will be granted. Alternatively, we can engage in discussions to amend the product and subsequently reship the product to you.
4) This PI is applicable to the DDP shipping agreement.

6, Buesiness Partner


Afreican Parks Counter-UAV Strategic Partnership






Park Manager or Delegated Manager	Procurement Officer/Po	Finance Manager/Controller
Habteyesus Mathewos TADESSE	Chantal KABIBAHOU	Virgile HOUNGBEDJI
A Hanabe	Heto	+7T

Suspicious behavior? Send an anonymous message transmission and the send and the send and the send to the send to








7, Certification Certificate

The product has obtained dual certification from the Ministry of Public Security and the National Security Center, and is capable of adapting to various severe incidents, possessing military-grade quality.



8, Paking and Delivery

Supports various logistics methods including shipping, air freight, water transport, and express delivery, covering logistics in 90% of the global regions.



Chongqing Miao Yi Tang Technology Co., Ltd.

S +8613101235550 S gary@chinaantidrone.com
www.chinaantidrone.com