

## Light Alarm Mode Drone Detector with Interception Distance of Over 1km in Good Views and Electromagnetic Environments

### Our Product Introduction

for more products please visit us on [chinaantidrone.com](http://chinaantidrone.com)

#### Basic Information

- Place of Origin: China
- Brand Name: MYT
- Certification: CNAS, CMA, CAL, ILAC-MRA
- Model Number: DR400-D
- Minimum Order Quantity: 1
- Price: Pricing is negotiable based on order quantity
- Delivery Time: 10 work days
- Payment Terms: TT, LC
- Supply Ability: 1000units per month



#### Product Specification

- Detection Type: Mainstream Drones And Most FPV, DIY Drones, Etc.
- Detection Radius: ≥3km (good Views And Electromagnetic Environment)
- Video Transmission Interception Distance: ≥1km (good Views And Electromagnetic Environment)
- Alarm Mode: Sound, Vibration, Light
- Highlight: **1km Drone Detector, Good Views Drone Detector, Electromagnetic Environments Drone Detector**



#### More Images



### Product Description

#### Interception Distance of Over 1km in Good Views and Electromagnetic Environments Drone Detector

##### 1. Product Introduction

The FPV Detection and Video Transmission Capture Device amalgamates the capabilities of detecting full-spectrum video transmission signals, facilitating display and control interfaces, enabling video recording, and providing video archiving within a singular apparatus. This device is capable of precisely discerning various types of drones, including quadcopters, fixed-wing aircraft, DIY drones, FPV drones, and others, even amidst complex electromagnetic landscapes, and can emit auditory, visual, and haptic alerts. It is well-adapted for a multitude of individual operational contexts, such as routine surveillance, safeguarding of critical assets, collaborative team operations, investigative evidence gathering, and beyond.





## 2, Specification

Feature	Details
Detection Type	Mainstream drones and most FPV, DIY drones, etc.
Detection Frequency Bands	Supports customized scanning of 70MHz-6.2GHz, default bands include 400MHz, 800MHz, 900MHz, 1.2GHz, 1.4GHz, 2.4GHz, 5.2GHz, 5.8GHz (others can be customized)
Detection Radius	≥3km (good views and electromagnetic environment)
FPV Video Transmission	Support the detection of all analog video transmission signals within the 300MHz-6GHz frequency bands (supports customization)
Signal Detection	
Video Transmission	
Interception Distance	≥1km (good views and electromagnetic environment)
Team Linkage Alarm	≥500m (open and unobstructed environment)
Detection Response Time	≤3s (8 frequency bands)
Detection Principle	Spectrum scan, spectrum feature identification
Alarm Mode	Sound, vibration, light
Storage Space	32G memory card
Screen Size	7-inch touch screen
Power Supply Mode	Lithium battery
Battery Life	≥6h (host); ≥10h (wrist watch)
Host Device Size	198mm142mm52mm (LengthWidthHeight)

## 3, Certification Certificate




#### 4, Company profile

Chongqing Miao Yi Tang Technology Co., Ltd. is a cutting-edge enterprise forged through collaboration between the Internet of Things Research and Development Center of the Chinese Academy of Sciences, Sichuan University Zhisheng Software Co., Ltd. (002253), and a dedicated founding team backed by a \$12 million investment.

Leveraging the robust scientific research capabilities of the Chinese Academy of Sciences and the industry-defining expertise of Sichuan University, MYT technology is dedicated to pioneering advancements in the national security domain through the application of Internet of Things and artificial intelligence technologies. Our focus lies in AIoT research and development, spearheading the creation of an independent AIoT cloud+edge computing system architecture. This breakthrough architecture facilitates the seamless integration of heterogeneous perception information—such as electromagnetic, optoelectronic, visual, and location data—culminating in a comprehensive three-dimensional defensesystem against intrusion.

Our mission is to enable intelligent detection, behavior analysis, situation assessment, and precise response across all security facets within ground and low-altitude environments. By transitioning from passive to active defense strategies and fostering a paradigm shift from partial to comprehensive protection, we aim to elevate anti-intrusion security systems to new heights.



Chongqing Miao Yi Tang Technology Co., Ltd.



+8613101235550



gary@chinaantidrone.com



chinaantidrone.com

[www.chinaantidrone.com](http://www.chinaantidrone.com)