

# Handheld Drone Detector Portable Full-Band Detection with Customizable Scanning Options for Accurate Identification of Various Drone

### **Basic Information**

Place of Origin: ChinaBrand Name: MYTModel Number: DR400-D

Minimum Order Quantity:

• Packaging Details: 360mm\*250mm\*250mm

Delivery Time: 10 work daysPayment Terms: L/C,T/T

• Supply Ability: 10000 units per month



## **Product Specification**

• Size: 200mm130mm40mm

Weight: ≤2kg
Battery Capacity: 7000mAh
Video Capture Distance: 1.5km

• Highlight: Full-Band Handheld Drone Detector,

**Accurate Identification Handheld Drone** 

Detector

, Portable Handheld Drone Detector



## More Images





## Handheld Drone Detector Portable Full-Band Detection with Customizable Scanning Options for Accurate Identification of Various Drone

### 1, Equipment Overview

The portable FPV signal acquisition and detection device combines several functions, including detection, video capture, and storage. It offers full-band detection, FPV analog signal detection, video acquisition, display and control features, and video storage capabilities. This device can accurately identify a wide range of drones, such as quadcopters, fixed-wing drones, DIY drones, and FPV drones, even in challenging electromagnetic environments. It provides alarms through sound, light, and vibration. This equipment is intended for use in routine patrols, protection of critical assets, team operations, and evidence gathering.







## 2, Specification

Seri	Seri Seri				
al No.	Name	Performance Indicators			
1	Recognition Type	Supports mainstream drones such as DJI, Daotong, and Haboson, as well as FF racing drones and DIY drones.			
2	Frequency Range	Supports customizable scanning from 70MHz to 6.2GHz (default detection bands 400MHz, 800MHz, 900MHz, 1.2GHz, 1.4GHz, 2.4GHz, 5.2GHz, 5.8GHz; other bar can be customized).			
3	FPV Transmissio n Detection	Supports detection of all analog transmissions within the 300MHz-6GHz frequency range (user customizable).			
4	Detection Radius	≥3km (line of sight, clean electromagnetic environment)			
5	Video Capture Distance	≥1.5km (line of sight, clean electromagnetic environment)			
6	Video Storage Space	32G storage card			
7	Detection Response Time	≤3s (8 frequency bands); ≤5s (12 frequency bands)			
8	Alarm Methods	Sound, vibration, light			
9	Screen Size	7-inch touchscreen			
10	Power Supply Method	Powered by lithium battery			

Seri al No.	Name	Performance Indicators	
11	Battery Capacity	7000mAh	
12	Device Weight	≤2kg	
13	Device Dimensions	LengthWidthHeight: 200mm130mm40mm	









#### 3, Device Features and Functions

#### 1) Full-Band Detection:

Comprehensive detection across the 70-6.2G frequency range.

#### 2) Complete FPV Frequency Coverage:

Full coverage of analog transmission across the 300-6.2G range.

#### 3) Video Capture:

Ability to capture all analog transmissions, allowing for "first-person view" analysis of FPV intrusion targets and real-time dynamics.

#### 4) Video Storage:

Captured real-time video can be stored as evidence.

#### 5) Team Collaboration:

1+N mode with a mother-child machine design for alarm linkage.

#### 6) Portable Design:

Equipped with a multifunctional wrist strap, supporting various carrying methods.

## 4, After-Sales service

- 1. We offer 24 hours service after sales
- 2. If there are any usage or quality issues with the product, we provide online technical support to diagnose the cause of the
- problem.

  3. Should you find the products unsatisfactory, kindly return it to us within a period of 3 months from the date of dispatch. Upon receipt and inspection, should the products be found to be free from any damage attributable to human factors, a full refund will be granted. Alternatively, we can engage in discussions to amend the product and subsequently reship the product to you.


#### 5, Buesiness Partner

## Afreican Parks Counter-UAV Strategic Partnership






Procurement Officer/Po	Finance Manager/Controller
Chantal KABIBAHOU	Virgile HOUNGBEDJI
Hab	17









#### 6, Certification Certificate





#### 7, Company profile

Chongqing Miao Yitang Technology Co., Ltd. is a specialized company engaged in anti-drone and unmanned intelligent defense management.

With the technical support from the AI Internet of Things Research Institute of the Chinese Academy of Sciences and collaborations with multiple intelligent AI companies, the company has established research laboratories for AI unmanned field products, accumulating a variety of technical patents.

The company's products are widely applied to unmanned automatic management solutions for various defense and perimeter areas, including AI anti-drone systems and AI unmanned vehicle patrol systems. These systems integrate with multiple technologies such as optoelectronics, radar, vibration, thermal imaging, facial recognition, and radio frequency management, truly achieving a 24-hour uninterrupted anti-drone defense and ground perimeter defense warning system. This allows for cost savings for clients, reduction in human resource allocation, and ensures the safety of clients' lives and property. The outstanding security system has won the company an excellent reputation and created higher value for its partners.



## 8, Paking and Delivery





## **CUSTOMER SERVICE**

- \* Fast and patient communication: professional sales reply immediately
- \* Fast delivery: usually 2-7 days
- \* Flexible Safe shipping: fast by air or sea with cheap freight
- \* Customer-friendly: complete user manual and exact video training provided
- \* After sales service: one year warranty and life time technical support







Chongqing Miao Yi Tang Technology Co., Ltd.



+8613101235550





chinaantidrone.com

www.chinaantidrone.com