

Professional High-performance Bomb Jammer Provides Advanced Jamming Capabilities For Neutralizing Wireless Threats In Critical Security Operations

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: MYT
- Certification: CNAS、CMA、CAL、ILAC-MRA
- Model Number: DT-08
- Minimum Order Quantity: 1
- Price: Pricing is negotiable based on order quantity
- Delivery Time: 10 work days
- Payment Terms: L/C,T/T
- Supply Ability: 1000units per month



Product Specification

- Operating Frequency Range: 20 MHz To 6 GHz
- Portable JCR Ratio: 1:6 (40 Meters : 240 Meters)
- Vehicle-mounted JCR Ratio: 1:3 (200 Meters : 600 Meters)
- Jamming Bandwidth: Full-band Coverage Of All Frequency Resources
- Core Function: Wireless Signal Shielding And Jamming
- Jamming Level: Super-signaling-level Interference
- Deployment Options: Portable And Vehicle-mounted Versions
- Monitoring: Real-time Jamming Status Monitoring
- Highlight: **handheld drone detector with jamming, professional bomb jammer for security, high-performance wireless threat neutralizer**

Product Description

DT-08 Bomb Jammer

1, Product Overview

The Bomb Jammer is a professional, high - performance jamming device for security and counter - terrorism. It has full - band jamming (20 MHz - 6 GHz), making it essential for bomb disposal teams, law enforcement, military, and high - security events.

Engineered to neutralize threats from remotely detonated explosives by blocking triggering wireless signals. Its design and technology offer reliable protection against wireless threats, minimizing interference with legitimate comms.

Portable and flexible, it suits fixed and mobile operations, providing protection in various environments, from urban areas to emergency response scenarios.

2, Specification

Parameter	Specification
Product Name	Bomb Jammer System
Product Type	Professional High-performance Jamming Device
Core Function	Wireless signal shielding and jamming
Operating Frequency Range	20 MHz to 6 GHz
Jamming Bandwidth	Full-band coverage of all frequency resources
Mobile Communication	Covers all mobile communication bands
Trunking Signals	Trunked radio communication bands
Remote Control	Automotive and toy remote control bands
Wireless Data	Bluetooth and WiFi bands
Broadcast	Radio and pager bands
UAV/AV Control	Unmanned aerial vehicle and ground vehicle control bands
Satellite Communication	Satellite communication bands
Jamming Level	Super-signaling-level interference
Targeted Jamming	Only jams the center of communication signal bandwidth

Selective Interference	Only interferes with downlink frequency points or time slots
Base Station Protection	No impact on base station operations
Portable JCR Ratio	1:6 (40 meters : 240 meters)
Vehicle-mounted JCR Ratio	1:3 (200 meters : 600 meters)
Jamming Power	Adjustable output power
Response Time	Instantaneous jamming activation
Deployment Options	Portable and vehicle-mounted versions
Control Interface	User-friendly control panel
Monitoring	Real-time jamming status monitoring
Form Factor	Ruggedized, portable design
Dimensions	Compact size for easy transportation
Weight	Lightweight for portable operation
Power Supply	Rechargeable battery (portable) / Vehicle power (mounted)
Battery Life	Extended operation time
Charging Time	Quick charging capability
Operating Temperature	-20°C to +60°C
Protection Rating	IP65 or higher
Durability	Military-grade construction

3, Features

Bomb Jammer is a professional high - performance jamming tech for critical security. It offers full - band wireless signal shielding (20 MHz - 6 GHz) against wireless threats for explosive remote detonation. Covers various bands like mobile, trunked radio, etc.

Uses advanced super - signaling - level jamming, targeting signal bandwidth centers for max effectiveness and min interference. Interferes with operator downlinks in wireless bands, leaving base stations and authorized users unaffected.

Has portable and vehicle - mounted options. Portable has 1:6 jamming - to - communication ratio (40 m:240 m) for foot patrols, etc. Vehicle - mounted has 1:3 ratio (200 m:600 m) for large - area security.

Built to military - grade, rugged, compact, lightweight for easy transport and rapid deployment. User - friendly interface for intuitive operation and real - time monitoring.

Features instant response, adjustable power, long battery life, quick charging, and high - level environmental protection (IP65+). Suitable for counter - terrorism, bomb disposal, etc., to neutralize wireless threats and provide security.



4, Application Scenarios



5, Certification Certificate



6, Company profile

Chongqing Miao Yitang Technology Co., Ltd. is a specialized company engaged in anti-drone and unmanned intelligent defense management. With the technical support from the AI Internet of Things Research Institute of the Chinese Academy of Sciences and collaborations with multiple intelligent AI companies, the company has established research laboratories for AI unmanned field products, accumulating a variety of technical patents.

The company's products are widely applied to unmanned automatic management solutions for various defense and perimeter areas, including AI anti-drone systems and AI unmanned vehicle patrol systems. These systems integrate with multiple technologies such as optoelectronics, radar, vibration, thermal imaging, facial recognition, and radio frequency management, truly achieving a 24-hour uninterrupted anti-drone defense and ground perimeter defense warning system. This allows for cost savings for clients, reduction in human resource allocation, and

ensures the safety of clients' lives and property. The outstanding security system has won the company an excellent reputation and created higher value for its partners.



7, Customer Service

- 1). We offer 24 hours service after sales
- 2). If there are any usage or quality issues with the product, we provide online technical support to diagnose the cause of the problem.
- 3). Should you find the products unsatisfactory, kindly return it to us within a period of 3 months from the date of dispatch. Upon receipt and inspection, should the products be found to be free from any damage attributable to human factors, a full refund will be granted. Alternatively, we can engage in discussions to amend the product and subsequently reship the product to you.

CUSTOMER SERVICE

- * Fast and patient communication: professional sales reply immediately
- * Fast delivery: usually 2-7 days
- * Flexible Safe shipping: fast by air or sea with cheap freight
- * Customer-friendly: complete user manual and exact video training provided
- * After sales service: one year warranty and life time technical support



Chongqing Miao Yi Tang Technology Co., Ltd.

+8613101235550

gary@chinaantidrone.com

chinaantidrone.com

www.chinaantidrone.com