



Basic Information

Place of Origin: ChinaBrand Name: MYT

Certification: CNAS、CMA、CAL、ILAC-MRA

Model Number: TOM-B Minimum Order Quantity: 1

• Price: Pricing is negotiable based on order quantity

Delivery Time: 10 work daysPayment Terms: L/C,T/T

• Supply Ability: 1000units per month



Product Specification

Storage: 64G
 Ocular Lens Diopter: -4~+4
 Weight: 2.1 Kg
 Operating Time: ≥8 H

• Operating Temperature: -40°C~+55°C

• Waterproof Grade: IP67

• Storage Temperature: -55°C~+70°C

Wireless Transmission: WIFI

• Highlight: multi-function optical binoculars,

five-channel drone detector, handheld optical drone detector

TOM-B Five Optical Channels Multi-function Binoculars

1, Product Overview

The Five Optical Channels Multi-function Binoculars (Tom-B) represent a cutting-edge integration of advanced optical technologies in a compact, portable observation device. This sophisticated system combines five distinct optical channels—infrared thermal imaging, low-light imaging, visible light imaging, laser rangefinder, and laser pointer—along with integrated location services, digital magnetic compass, and image/video recording capabilities. Designed for 24/7 operation in the most challenging environments, this multi-functional binocular provides exceptional observation capabilities both day and night, making it an indispensable tool for security professionals, law enforcement, military personnel, and outdoor enthusiasts. The system's ergonomic design ensures comfortable extended use, while its rugged construction meets stringent environmental standards for operation in extreme temperatures, wet conditions, and harsh handling. With intuitive controls and multiple connectivity options, the Five Optical Channels Multi-function Binoculars deliver superior performance and versatility for a wide range of observation and surveillance applications.

2, Specification

Infrared Thermal Imaging	Resolution	640×512, 12 μm
	Spectral Band	8~14 μm
	Field of View	6.1°×4.8°
Low-Light Imaging	Resolution	750×600
	Low Illumination Capability	0.001 lux
	Field of View	6.8°×5.5°
Visible Light Imaging	Resolution	4.6 megapixels
	Field of View	4.6°×3.7°
Laser Rangefinder	Wavelength	1535 nm
	Maximum Range	≥6 km
	Minimum Range	≤50 m
	Measurement Accuracy	2 m
Location Module	Positioning System	BD, GPS dual-mode
	Horizontal Accuracy (CEP)	5 m

	Elevation Accuracy (PE)	10 m
Digital Magnetic Compass	Azimuth Range	0~360°
	Azimuth Accuracy	0.5°
	Pitch Angle Range	-90°~+90°
	Pitch Angle Accuracy	0.4°
	Inclination Angle Range	-180°~+180°
	Inclination Angle Accuracy	0.5°
Laser Pointer	Wavelength	830 nm
	Power Output	5 mW, Class IIIA
Display System	Resolution	1280×1024
	Viewing	OLED display
Storage & Memory	Internal Storage	64GB
Optical Specifications	Ocular Diopter Adjustment	-4~+4
Physical Specifications	Weight	2.1 kg
	Battery Configuration	6×18650 batteries (3.7V, 3000mAh)
	Operating Time	≥8 hours
Environmental Performance	Operating Temperature	-40°C~+55°C
	Storage Temperature	-55°C~+70°C
	Waterproof Rating	IP67

Connectivity	Interfaces	HDMI, USB, PAL, RS232, WiFi
	Wireless Transmission	WiFi enabled

3. Features

The Five Optical Channels Multi-function Binoculars (Tom-B) represent the pinnacle of integrated optical observation technology, combining five advanced optical channels into a single, portable device. The infrared thermal imaging channel provides exceptional night vision capabilities with 640×512 resolution and 12µm pixel pitch, operating in the 8-14µm spectral band to detect heat signatures even in complete darkness. Complementing this, the low-light imaging channel delivers clear visualization in near-dark conditions with 750×600 resolution and 0.001 lux sensitivity, ensuring reliable performance during twilight hours and in low-visibility environments. The high-resolution visible light channel captures crisp 4.6 megapixel images during daytime operations, providing exceptional detail for identification and documentation purposes.

Integrated laser rangefinder technology offers precise distance measurement up to 6 kilometers with 2-meter accuracy, while the laser pointer aids in target designation and coordination. The dual-mode BD/GPS location module provides accurate positioning information with 5-meter horizontal accuracy, enhanced by a high-precision digital magnetic compass that measures azimuth, pitch, and inclination angles with sub-degree accuracy. This comprehensive navigation package enables precise target location and tracking in any environment.

The system features a high-resolution 1280×1024 OLED display that presents clear imagery across all channels, with intuitive controls for seamless mode switching and function adjustment. Built-in 64GB storage capacity allows for extensive image and video recording, while WiFi connectivity enables wireless transmission of data to external devices for real-time sharing and analysis. The binocular's rugged design weighs just 2.1 kilograms and operates for over 8 hours on six 18650 batteries, making it suitable for extended field operations.

Engineered to withstand the most demanding conditions, the Five Optical Channels Multi-function Binoculars meet IP67 waterproof standards and operate in temperatures ranging from -40°C to +55°C. Multiple image processing modes, including various thermal palettes and fusion options, enhance target detection and recognition in different environmental conditions. The device's ergonomic design ensures comfortable handling during prolonged use, while its comprehensive connectivity options facilitate integration with other systems and equipment. Whether used for security surveillance, wildlife observation, search and rescue operations, or tactical applications, this multi-functional binocular delivers unmatched performance and versatility across all lighting and environmental conditions.



4, Application Scenarios



5, Certification Certificate



6, Company profile

Chongqing Miao Yitang Technology Co., Ltd. is a specialized company engaged in anti-drone and unmanned intelligent defense management. With the technical support from the AI Internet of Things Research Institute of the Chinese Academy of Sciences and collaborations with multiple intelligent AI companies, the company has established research laboratories for AI unmanned field products, accumulating a variety of technical patents.

The company's products are widely applied to unmanned automatic management solutions for various defense and perimeter areas, including Al anti-drone systems and Al unmanned vehicle patrol systems. These systems integrate with multiple technologies such as optoelectronics, radar, vibration, thermal imaging, facial recognition, and radio frequency management, truly achieving a 24-hour uninterrupted anti-drone defense and ground perimeter defense warning system. This allows for cost savings for clients, reduction in human resource allocation, and

ensures the safety of clients' lives and property. The outstanding security system has won the company an excellent reputation and created higher value for its partners.





7, Customer Service

- 1). We offer 24 hours service after sales
- 2). If there are any usage or quality issues with the product, we provide online technical support to diagnose the cause of the problem.

 3). Should you find the products unsatisfactory, kindly return it to us within a period of 3 months from the date of dispatch. Upon receipt and inspection, should the products be found to be free from any damage attributable to human factors, a full refund will be granted. Alternatively, we can engage in discussions to amend the product and subsequently reship the product to you.





Chongqing Miao Yi Tang Technology Co., Ltd.



+8613101235550



gary@chinaantidrone.com



chinaantidrone.com