

Fixed KZ-06 Navigation Spoofing Device Product Can Generate Spoofing Signals For At Least Two Satellite Navigation Frequency Bands In Real Timeperforms Deceptive Interference On Navigation Coordinates

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: MYT
- Certification: CNAS、CMA、CAL、ILAC-MRA
- Model Number: KZ-06
- Minimum Order Quantity: 1
- Price: Pricing is negotiable based on order quantity
- Delivery Time: 10 work days
- Payment Terms: TT,LC
- Supply Ability: 1000units per month



Product Specification

- Dimensions: 355 × 351 × 150 Mm (L × W × H)
- Spoofing Activation Time: < 10 S
- Number Of UAVs Spoofed: ≥ 10
- Frequency Tolerance: <math>< \pm 2 \times 10^{-6}</math>
- Defense Range: Radius ≥ 1 Km (customizable)
- Rated Power: 300 W
- Power Supply: AC 220 V / 50 Hz
- Operating Temperature: -40 °C To +60 °C
- Protection Rating: IP66
- Main Unit Weight: ≤ 11 Kg
- Highlight: **Fixed KZ-06 navigation spoofing device, satellite navigation spoofing signals, drone detector with deceptive interference**



for more products please visit us on chinaantidrone.com

Product Description

Fixed KZ-06 Navigation Spoofing Device

1, Product Introduction

This product can generate spoofing signals for at least two satellite navigation frequency bands in real time. It performs deceptive interference on navigation coordinates received by UAVs relying on satellite navigation, thereby achieving directional expulsion (8 directions) and area denial functions to ensure low-altitude security.

2, Product Applications

This product is suitable for military restricted zones, government facilities, nuclear power plants, large event venues, and other scenarios with extremely high airspace security requirements. It targets UAVs that rely on satellite navigation systems (GPS / BDS / GLONASS / Galileo) by altering their navigation coordinates through spoofing interference, enabling eight-direction directional expulsion and area denial with a radius of ≥ 1 km. It can simultaneously counter multiple UAVs, including drone swarms, ensuring low-altitude airspace security.

3, Specification

The standard configuration supports GPS, BDS, GLONASS, and Galileo satellite navigation systems. The standard parameters are listed below.

No.	Satellite System	Band	Center Frequency (MHz)	Channel Bandwidth (MHz)
1	BDS	B1I	1561.098	± 2.046
2	GPS	L1 C/A	1575.42	± 1.023
3	GPS	L2	1227.6	± 1.023
4	GPS	L5	1176.45	± 10.23
5	GLONASS	L1	1602	1598.0625–1605.375
6	Galileo	E1	1575.42	± 12.276

Main Performance Specifications

No.	Item	Specification
1	Spoofing Activation Time	< 10 s
2	Number of UAVs Spoofed	≥ 10
3	Frequency Tolerance	$< \pm 2 * 10^{-6}$
4	Defense Range	Radius ≥ 1 km (customizable)
5	Rated Power	300 W
6	Power Supply	AC 220 V / 50 Hz
7	Operating Temperature	-40 °C to $+60$ °C
8	Protection Rating	IP66
9	Main Unit Weight	≤ 11 kg
10	Dimensions	355 * 351 * 150 mm (L * W * H)

4, After-Sales service


Lifetime free model library upgrades, professional 24/7 online service, customizable colors and languages.

5, Certification Certificate



6, Company profile

Chongqing Miao Yi Tang Technology Co., Ltd. is a cutting-edge enterprise forged through collaboration between the Internet of Things Research and Development Center of the Chinese Academy of Sciences, Sichuan University Zhisheng Software Co., Ltd. (002253), and a dedicated founding team backed by a \$12 million investment.



7, Partnership Portfolio

Our products are designed for a variety of public safety scenarios and have long provided customized product services to the military and public safety departments, earning an excellent reputation in practical operations.



8, Paking and Delivery

Supports various logistics methods including shipping, air freight, water transport, and express delivery, covering logistics in 90% of the global regions.

CUSTOMER SERVICE

- * Fast and patient communication: professional sales reply immediately
- * Fast delivery: usually 2-7 days
- * Flexible Safe shipping: fast by air or sea with cheap freight
- * Customer-friendly: complete user manual and exact video training provided
- * After sales service: one year warranty and life time technical support

FedEx **TNT** **ups**

DHL

Logistics icons: airplane, truck, and ship.

Payment logos: T/T, AMEX, VISA, DISCOVER, Play, WAL, Apple Pay, G Pay, Mastercard, Facebook Pay.



Chongqing Miao Yi Tang Technology Co., Ltd.

+8613101235550

gary@chinaantidrone.com

chinaantidrone.com

www.chinaantidrone.com